


S1 polyester flat webbing slings with reinforced eyes

Product information



This professional webbing sling is extremely suitable for intensive industrial use.

Packaging



Packaged in semi-biodegradable plastic.

Properties

- Duplex hoisting belt; double strap layers.
- Extra strong, water- and dirt-repellent, impregnated fabric guarantees a longer life.
- WLL stripes, each stripe is 1 ton (up to 10 tons).
- Every 30 mm band width is 1 ton load capacity.

Material: polyester

Marking: According to standard, CE-marked

Standard: EN 1492-1

Note: Packed in plastic including REMA manual.

Part Code	WLL
R1211031	1
R1211033	1
R1211037	1
R1211035	1
R1211039	1
R1211041	1
R1211043	1
R1211045	1
R1211047	1
R1211049	1
R1211051	1
R1211061	2
R1211063	2
R1211065	2
R1211069	2
R1211067	2
R1211071	2
R1211073	2
R1211075	2
R1211077	2
R1211079	2
R1211081	2

R1211091	3
R1211093	3
R1211095	3
R1211097	3
R1211099	3
R1211101	3
R1211103	3
R1211105	3
R1211107	3
R1211109	3
R1211111	3
R1211125	4
R1211127	4
R1211129	4
R1211131	4
R1211133	4
R1211135	4
R1211137	4
R1211139	4
R1211141	4
R1211155	5
R1211157	5
R1211159	5

R1211161	5
R1211163	5
R1211165	5
R1211167	5
R1211169	5
R1211171	5
R1211187	6
R1211189	6
R1211191	6
R1211193	6
R1211195	6
R1211197	6
R1211199	6
R1211201	6
R1211217	8
R1211219	8
R1211221	8
R1211223	8
R1211225	8
R1211227	8
R1211229	8
R1211231	8
R1211247	10

R1211249	10
R1211251	10
R1211253	10
R1211255	10
R1211257	10
R1211259	10
R1211261	10