



## 1 leg REMA-10-RML-RCX-RCS

### Product information



The [Rema® 10 assortment](#) offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

1 leg REMA-10 | masterlink RML | connecting link RCX | self locking clevis hook RCS



Each component of this chain sling assembly carries the distinctive **H-84** mark certified by the [German DGUV](#), ensuring a testament to its exceptional quality.

**Marking:** According to standard, CE-marked

**Standard:** EN 818-7, EN 1677-1, DIN 17115, DIN 5692

**Safety factor:** 4

**Grade:** 10

| Part Code    | WLL ton |
|--------------|---------|
| R2691206-1   | 1.4     |
| R2691206-1.5 | 1.4     |
| R2691206-2   | 1.4     |
| R2691206-2.5 | 1.4     |

|              |     |
|--------------|-----|
| R2691206-3   | 1.4 |
| R2691206-3.5 | 1.4 |
| R2691206-4   | 1.4 |
| R2691208-1   | 2.5 |
| R2691208-1.5 | 2.5 |
| R2691208-2   | 2.5 |
| R2691208-2.5 | 2.5 |
| R2691208-3   | 2.5 |
| R2691208-3.5 | 2.5 |
| R2691208-4   | 2.5 |
| R2691210-1   | 4   |
| R2691210-1.5 | 4   |
| R2691210-2   | 4   |
| R2691210-2.5 | 4   |
| R2691210-3   | 4   |
| R2691210-3.5 | 4   |
| R2691210-4   | 4   |
| R2691213-1   | 6.7 |
| R2691213-1.5 | 6.7 |
| R2691213-2   | 6.7 |
| R2691213-2.5 | 6.7 |
| R2691213-3   | 6.7 |
| R2691213-3.5 | 6.7 |

R2691213-4

6.7

R2691216-1

10

R2691216-1.5

10

R2691216-2

10

R2691216-2.5

10

R2691216-3

10

R2691216-3.5

10

R2691216-4

10