



1 leg REMA-10-RML-RDG-RCS

Product information



The [Rema® 10 assortment](#) offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

1 leg REMA-10 | masterlink RML | clevis shortening hook RDG | self locking clevis hook RCS



Each component of this chain sling assembly carries the distinctive **H-84** mark certified by the [German DGUV](#), ensuring a testament to its exceptional quality.

Marking: According to standard, CE-marked

Standard: EN 818-7, EN 1677-1, DIN 5692, DIN 17115

Safety factor: 4

Grade: 10

| Part Code | WLL ton |
|--------------|---------|
| R2691406-1 | 1.4 |
| R2691406-1.5 | 1.4 |
| R2691406-2 | 1.4 |
| R2691406-2.5 | 1.4 |

| | |
|--------------|-----|
| R2691406-3 | 1.4 |
| R2691406-3.5 | 1.4 |
| R2691406-4 | 1.4 |
| R2691408-1 | 2.5 |
| R2691408-1.5 | 2.5 |
| R2691408-2 | 2.5 |
| R2691408-2.5 | 2.5 |
| R2691408-3 | 2.5 |
| R2691408-3.5 | 2.5 |
| R2691408-4 | 2.5 |
| R2691410-1 | 4 |
| R2691410-1.5 | 4 |
| R2691410-2 | 4 |
| R2691410-2.5 | 4 |
| R2691410-3 | 4 |
| R2691410-3.5 | 4 |
| R2691410-4 | 4 |
| R2691413-1 | 6.7 |
| R2691413-1.5 | 6.7 |
| R2691413-2 | 6.7 |
| R2691413-2.5 | 6.7 |
| R2691413-3 | 6.7 |
| R2691413-3.5 | 6.7 |

R2691413-4

6.7

R2691416-1

10

R2691416-1.5

10

R2691416-2

10

R2691416-2.5

10

R2691416-3

10

R2691416-3.5

10

R2691416-4

10