



Chain sling assemblies 2-leg REMA-10-RML-RCX-RCS

Product information



The [Rema® 10 assortment](#) offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

2 leg REMA-10 chain | masterlink RML | connecting link RCX | self locking clevis hook RCS



Each component of this chain sling assembly carries the distinctive **H-84** mark certified by the [German DGUV](#), ensuring a testament to its exceptional quality.

Marking: According to standard, CE-marked

Standard: DIN 17115, DIN 5692, EN 1677-1, EN 818-7

Safety factor: 4

Grade: 10

Part Code

**WLL
ton**

R2692206-1

1.96

R2692206-1.5

1.96

R2692206-2

1.96

R2692206-2.5	1.96
R2692206-3	1.96
R2692206-3.5	1.96
R2692206-4	1.96
R2692208-1	3.5
R2692208-1.5	3.5
R2692208-2	3.5
R2692208-2.5	3.5
R2692208-3	3.5
R2692208-3.5	3.5
R2692208-4	3.5
R2692210-1	5.6
R2692210-1.5	5.6
R2692210-2	5.6
R2692210-2.5	5.6
R2692210-3	5.6
R2692210-3.5	5.6
R2692210-4	5.6
R2692213-1	9.38
R2692213-1.5	9.38
R2692213-2	9.38
R2692213-2.5	9.38
R2692213-3	9.38

R2692213-3.5	9.38
R2692213-4	9.38
R2692216-1	14
R2692216-1.5	14
R2692216-2	14
R2692216-2.5	14
R2692216-3	14
R2692216-3.5	14
R2692216-4	14