



Heavy duty Thimble POWERTEX PT3090HD

Product information



This forged heavy duty thimble is intended for heavy-duty lifting steel wire rope slings and end terminations. Wire rope size 6 – 44 mm.

Material: Forged steel

Marking: According to standard, PX (Powertex), Recommended rope diameter, HD (model)

Finish: 6 mm electrogalvanized, 8 mm and above HDG (Hot dip galvanized). Chrome 6 free.

Standard: DIN 3090

| Part Code | Code | Rope Ø range mm | a mm | b mm | c mm | h mm | p mm | s mm | Weight kg | Delivery time |
|--------------|-------------|--------------------|---------|---------|---------|---------|---------|---------|--------------|---------------|
| 123100600440 | PT3090HD-6 | 6 | 7 | 10 | 15 | 42 | 7.1 | 2.6 | 0.03 | 3 |
| 123100800440 | PT3090HD-8 | 8 | 9 | 13 | 20 | 56 | 10 | 4 | 0.08 | 3 |
| 123101000440 | PT3090HD-10 | 10 | 11 | 15 | 25 | 70 | 14 | 5 | 0.12 | 3 |
| 123101200440 | PT3090HD-12 | 12 | 13 | 19 | 30 | 85 | 15 | 6 | 0.2 | 3 |
| 123101400440 | PT3090HD-14 | 14 | 16 | 22 | 35 | 102 | 16 | 8 | 0.26 | 3 |
| 123101600440 | PT3090HD-16 | 16 | 18 | 25 | 40 | 113 | 18 | 8 | 0.36 | 3 |
| 123101800440 | PT3090HD-18 | 18 | 20 | 27 | 45 | 127 | 21 | 9 | 0.54 | 3 |
| 123102000440 | PT3090HD-20 | 20 | 22 | 30 | 50 | 153 | 23 | 10 | 0.7 | 3 |
| 123102200440 | PT3090HD-22 | 22 | 24 | 33 | 55 | 165 | 24 | 10 | 0.8 | 30 |
| 123102400440 | PT3090HD-24 | 24 | 26 | 35 | 60 | 181 | 26 | 10 | 0.9 | 3 |
| 123102600440 | PT3090HD-26 | 26 | 29 | 45 | 65 | 193 | 30 | 12 | 1.58 | 3 |
| 123102800440 | PT3090HD-28 | 28 | 31 | 48 | 70 | 223 | 32 | 12 | 1.77 | 3 |
| 123103200440 | PT3090HD-32 | 32 | 35 | 50 | 80 | 247 | 38 | 15 | 2.42 | 3 |
| 123103600440 | PT3090HD-36 | 36 | 40 | 55 | 90 | 281 | 40 | 15 | 3.77 | 3 |
| 123104000440 | PT3090HD-40 | 40 | 44 | 60 | 100 | 305 | 46 | 20 | 7 | 30 |

Blueprint

