



## Stainless Steel Thimble POWERTEX PT316

### Product information



Stainless Steel Thimble PT316 from POWERTEX, intended for stainless steel wire rope slings and synthetic rope end terminations. Wire rope size 2,5 – 20 mm.

**Material:** Stainless Steel AISI 316L Plate

**Marking:** PX (Powertex), Recommended rope diameter, 316 (Model)

**Finish:** Polished

| Part Code    | Code      | Rope Ø range<br>mm | A<br>mm | B<br>mm | C<br>mm | H<br>mm | L<br>mm | S<br>mm | Weight<br>kg | Delivery time |
|--------------|-----------|--------------------|---------|---------|---------|---------|---------|---------|--------------|---------------|
| 123100250450 | PT316-2.5 | 2.5                | 3       | 19      | 10      | 15      | 23      | 1       | 0.002        | 3             |
| 123100350450 | PT316-3.5 | 3.5                | 4       | 20      | 11      | 16.5    | 25      | 1       | 0.003        | 3             |
| 123100400450 | PT316-4   | 4                  | 5       | 26.5    | 13      | 20      | 35      | 1       | 0.005        | 3             |
| 123100500450 | PT316-5   | 5                  | 6       | 28.5    | 15      | 23      | 35.5    | 1.2     | 0.008        | 3             |
| 123100600450 | PT316-6   | 6                  | 7       | 32      | 18      | 27      | 40      | 1.2     | 0.01         | 3             |
| 123100700450 | PT316-7   | 7                  | 8       | 34.5    | 18      | 28.5    | 44      | 1.5     | 0.015        | 3             |
| 123100900450 | PT316-9   | 9                  | 10      | 46.5    | 24      | 36.5    | 58      | 1.8     | 0.032        | 3             |
| 123101100450 | PT316-11  | 11                 | 12      | 49      | 27      | 40.5    | 62      | 1.8     | 0.04         | 3             |
| 123101300450 | PT316-13  | 13                 | 14      | 59      | 34      | 50      | 75.5    | 1.8     | 0.059        | 3             |
| 123101500450 | PT316-15  | 15                 | 16      | 59.5    | 36      | 56      | 79      | 2.5     | 0.099        | 3             |
| 123101600450 | PT316-16  | 16                 | 18      | 68      | 41      | 60.5    | 88.5    | 2.5     | 0.116        | 3             |
| 123101800450 | PT316-18  | 18                 | 20      | 78      | 46      | 68.5    | 101     | 2.8     | 0.174        | 30            |
| 123102000450 | PT316-20  | 20                 | 22      | 87.5    | 52      | 76.5    | 113.5   | 2.8     | 0.217        | 30            |

# Blueprint

