

## Lifting Beam Type LF

### Product information



Lifting beam with low headroom to be used where the lifting height is limited. No adjusting possibilities and designed for direct attachment with the crane hook in the central lifting eye. The lifting beam is designed with one attachment point in each end. Other lengths and working loads can be manufactured upon request.

**Design:** Lightweight welded beam construction providing good torsional stiffness.

**Proof load:** Usually 1,5 x WLL.

**Material:** Beam and plate of high-strength structural steel.

**Marking:** Working load limit (WLL), CE marking, manufacturer, serial number, year of manufacturing, etc.

**Finish:** Yellow painted. Other treatments available on request.

**Note:** Top sling, separate slings and other accessories to be ordered separately.



Part Code	Code	WLL ton	B mm	H mm	L mm	Weight kg	Delivery time
6205610050650	LF 0,5/0,65	0.5	90	227	650	10	30
6205610050800	LF 0,5/0,8	0.5	90	227	800	10	30
6205610051000	LF 0,5/1	0.5	90	227	1,000	12	30
6205610051200	LF 0,5/1,2	0.5	90	227	1,200	15	30
6205610051500	LF-0,5/1,5	0.5	90	227	1,500	16	30
6205610052000	LF-0,5/2	0.5	90	227	2,000	23	30
6205610052500	LF-0,5/2,5	0.5	90	227	2,500	29	30
6205610053000	LF-0,5/3	0.5	90	227	3,000	31	30

6205610053500	LF-0,5/3,5	0.5	90	227	3,500	39	30
6205610054000	LF-0,5/4	0.5	107	249	4,000	54	30
6205610055000	LF-0,5/5	0.5	107	249	5,000	67	30
6205610056000	LF-0,5/6	0.5	107	249	6,000	97	30
6205610101500	LF-1/1,5	1	90	227	1,500	18	30
6205610102000	LF-1/2	1	90	227	2,000	24	30
6205610102500	LF-1/2,5	1	107	249	2,500	35	30
6205610103000	LF-1/3	1	107	249	3,000	42	30
6205610103500	LF-1/3,5	1	107	249	3,500	48	30
6205610104000	LF-1/4	1	124	249	4,000	91	30
6205610105000	LF-1/5	1	124	249	5,000	112	30
6205610106000	LF-1/6	1	141	289	6,000	141	30
6205610201500	LF-2/1,5	2	107	249	1,500	27	30
6205610202000	LF-2/2	2	124	249	2,000	47	30
6205610202500	LF-2/2,5	2	124	249	2,500	58	30
6205610203000	LF-2/3	2	141	289	3,000	72	30
6205610203500	LF-2/3,5	2	100	289	3,500	83	30
6205610204000	LF-2/4	2	100	353	4,000	95	30
6205610205000	LF-2/5	2	100	358	5,000	144	30
6205610206000	LF-2/6	2	100	358	6,000	212	30
6205610302000	LF-3/2	3	100	289	2,000	50	30
6205610303000	LF-3/3	3	100	358	3,000	95	30
6205610304000	LF-3/4	3	100	358	4,000	143	30

6205610305000	LF-3/5	3	120	371	5,000	204	30
6205610306000	LF-3/6	3	120	371	6,000	297	30
6205610502000	LF-5/2	5	100	365	2,000	64	30
6205610503000	LF-5/3	5	120	381	3,000	125	30
6205610504000	LF-5/4	5	120	381	4,000	200	30
6205610505000	LF-5/5	5	200	467	5,000	252	30
6205610506000	LF-5/6	5	200	467	6,000	300	30
6205610802000	LF-8/2	8	120	408	2,000	90	30
6205610803000	LF-8/3	8	200	497	3,000	156	30
6205610804000	LF-8/4	8	200	497	4,000	212	30
6205610805000	LF-8/5	8	200	497	5,000	319	30
6205610806000	LF-8/6	8	200	497	6,000	460	30
6205611002000	LF-10/2	10	120	410	2,000	108	30
6205611003000	LF-10/3	10	200	505	3,000	171	30
6205611004000	LF-10/4	10	200	505	4,000	266	30
6205611005000	LF-10/5	10	200	605	5,000	393	30

# Blueprint

